

## 2019

Gößwein, S., Lindemann, A., Mahajan, A., Maueroeder, C., Martini, E., Patankar, J.V., Schett, G.A., Becker, C., Wirtz, S., Naumann-Bartsch, N., Bianchi, M.E., Greer, P.A., Lochnit, G., Herrmann, M., Neurath, M.F., and Leppkes, M. 2019. Citrullination licenses calpain to decondense nuclei in neutrophil extracellular trap formation. *Frontiers in Immunology* 10:2481  
<https://www.ncbi.nlm.nih.gov/pubmed/31088299>

Zhu, J., Kovacs, L., Han, W., Liu, G., Huo, Y., Lucas, R., Futon, D., Greer, P., Su, Y. 2019. ROS-dependent calpain activation contributes to airway and pulmonary vascular remodeling in COPD. *Antioxidants and Redox Signaling*. 31:804  
<https://www.ncbi.nlm.nih.gov/pubmed/31088299>

Teng, X., Ji, C., Zhang, L., Zheng, D., Ni, R., Hill, D., Xiong, S., Fan, G.-C., Greer, P.A., Shen, Z., Peng, T. 2019. Selective deletion of endothelial cell calpain reduces diabetic cardiomyopathy by improving angiogenesis. *Diabetologia* 62:860  
<https://www.ncbi.nlm.nih.gov/pubmed/30778623>

Ghaffari, A., Hoskin, V., Turashvili, G., Varma, S., Mewburn, J., Mullins, G., Greer, P.A., Kiefer, F., Day, A., Madarnas, Y., SenGupta, S., Elliott, B.E. 2019. Intravital imaging reveals systemic ezrin inhibition impedes cancer cell migration and lymph node metastasis in breast cancer. *Breast Cancer Research* 21:12  
<https://www.ncbi.nlm.nih.gov/pubmed/30678714>

## 2018

MacLeod, J.A., Gao, Y., Hall, C., Muller, W.J., Gujral, T.S. and Greer, P.A. 2018. Genetic disruption of calpain-1 and calpain-2 attenuates tumorigenesis in mouse models of HER2+ breast cancer and sensitizes cancer cells to doxorubicin and lapatinib. *Oncotarget* 9:33382-33395  
<https://www.ncbi.nlm.nih.gov/pubmed/30279968>

McCartney, C.S., MacLeod, J.A., Greer, P.A., and Davies, P.L. An easy-to-use FRET protein substrate to detect calpain cleavage in vitro and in vivo. 2018. *Biochim Biophys Acta* 1865:221-230  
<https://www.ncbi.nlm.nih.gov/pubmed/29104086>

Asai, A., Miyata, Y., Takehara, K., Kanda, S., Wantanabe, S., Greer, P.A. and Sakai, H. Pathological significance and prognostic significance of FES expression in bladder cancer vary according to tumor grade. 2018. *Journal of Cancer Research and Clinical Oncology*. 144:21-31  
<https://www.ncbi.nlm.nih.gov/pubmed/28952025>

## 2017

Song, L.-J., Xiang, F., Ye, H., Huang, H., Yang, J., Yu, F., Xiong, L., Xu, J.-J., Greer, P.A., Shi, H.-Z., Xin, J.-B., Su, Y., Ma, W.-L. Inhibition of angiotensin II and calpain attenuates pleural fibrosis. 2017. *Pulmonary Pharmacology & Therapeutics* 48:46-52  
<https://www.ncbi.nlm.nih.gov/pubmed/29107090>

Nagaria, T., Shi, C., Leduc, C., Hoskin, V., Sikdar, S., Sangrar, W., and Greer, P.A. 2017. Combined targeting of Raf and Mek synergistically inhibits tumorigenesis in triple negative breast cancer model systems. *Oncotarget* 8:80804-80819  
<https://doi.org/10.18632/oncotarget.20534>

Piper, S. Ross, G. Redpath, F. Lemckert, N. Woolger, P. A. Greer, R.B. Sutton, S.T. Cooper. 2017. Enzymatic cleavage of myoferlin releases a dual C2-domain module linked to ERK signaling. *Cellular Signaling* 33:30-40  
<http://www.sciencedirect.com/science/article/pii/S0898656817300499>

## 2016

Rao, S.-S., Mu, Q., Zeng, Y., Cai, P.-C., Yang, J., Xia, Y., Zhang, Q., Song, L.-J., Zhou, L.-L., Li, F.-Z., Lin, Y.-L., Fang, J., Greer, P.A., Shi, H.-Z., Ma, W.-L., Su, Y., and Ye, H. 2017. Calpain-activated mTORC2/Akt pathway mediates airway smooth muscle remodeling in asthma. *Clinical & Experimental Allergy* 47:176-189  
<https://www.ncbi.nlm.nih.gov/pubmed/27649066>

Li, S., Zhang, Zhang, L., Xiong, S, Greer, P.A., Fan, G.-G., and Peng, T. 2016. Disruption of calpain reduces lipotoxicity-induced cardiac injury by preventing endoplasmic reticulum stress. *BBA – Molecular Basis of Disease* 1862:2023-33  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=27523632](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=27523632)

Fan, G., Zhang, S., Gao, Y., Greer, P.A. and Tonks, N.K. 2016. HGF-independent regulation of MET and GAB1 by non-receptor tyrosine kinase FER potentiates metastasis in ovarian cancer. *Genes and Development* 30: 1542-57  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=27401557](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=27401557)

Yang, J., Xiang, F., Cai, P.-C., Lu, Y.-Z., Xu, X.-X., Yu, F., Li, F.-Z., Greer, P.A., Shi, H.-Z., Zhou, Q., Xin, J.-B., Ye, H., Su, Y., and Ma, W.-L. 2016. Activation of calpain by renin-angiotensin system in pleural mesothelial cells mediates tuberculous pleural fibrosis. *American Journal of Physiology Lung Cellular and Molecular Physiology* 311:L145  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=27261452](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=27261452)

Alvau, A., Battistone, M.A., Gervasi, M.G., Salicioni, A.M., Navarrete, F.A., Sanchez, C., De la Vega-Beltran, J.L., Greer, P.A., Darszon, A., Cuasnicu, P., Visconti, P.E. 2016. The tyrosine kinase Fer is responsible for the capacitation-associated increase in tyrosine phosphorylation. *Development* 143: 2325-33  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=27226326](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=27226326)

Grieve, S., Gao, Y., Hu, J., Hall, C., and Greer, P.A. 2016. Calpain genetic disruption and HSP90 inhibition combine to attenuate mammary tumorigenesis. *Molecular & Cellular Biology*

36:2078-88

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=27215381](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=27215381)

## 2015

Ni, R., Zheng, D., Xiong, S., Hill, D., Sun, T., Gardnier, R., Fan, G.-C., Lu, Y., Abel, D., Greer, P.A., Peng, T. 2015. Mitochondrial calpain-1 disrupts ATP synthase and induces superoxide generation in type-1 diabetic hearts: a novel mechanism contributing to diabetic cardiomyopathy. *Diabetes* 65:255-68

<http://diabetes.diabetesjournals.org/content/early/2015/10/08/db15-0963.long>

Ni, R, Zheng, D., Wang, Q., Yu, Y., Chen, R., Sun, T., Wang, W., Zhang, H., Fan, G.-C., Greer, P.A. Gardiner, R., and Peng, T. 2015. Deletion of *capn4* protects the heart against endotoxemic injury by preventing ATP synthase disruption and inhibiting mitochondrial superoxide generation. *Circulation: Heart Failure* 8:988-996.

<http://www.ncbi.nlm.nih.gov/pubmed/26246018?dopt=Citation>

Hoskin, V., Szeto, V., Ghaffari, A., Greer, P.A., Côté, G.P., and Elliott, B.E., 2015. Ezrin regulates focal adhesion and invadopodia dynamics by altering calpain activity to promote breast cancer cell invasion. *Molecular Biology of the Cell*. 26:3464-79

<http://www.ncbi.nlm.nih.gov/pubmed/26246600?dopt=Citation>

Zhang, S., Kim, H., Mullins, G.S., LeBrun, D., Elliott, B.E., and Greer, P. A. 2015. Interleukin-4 Expressed By Neoplastic Cells Provokes an Anti-Metastatic Myeloid Immune Response. *Journal of Clinical & Cellular Immunology* 6:329-47

<http://www.omicsonline.org/open-access/interleukin4-expressed-by-neoplastic-cells-provokes-an-antimetastaticmyeloid-immune-response-2155-9899-1000329.pdf>

Li, F.-Z., Cai, P.-C., Song, L.-J., Zhou, L.-L., Zhang, Q., Xiang, F., Zhang, J.-C., Rao, S.-S., Xia, Y., Xiang, F., Xin, J.-B., Greer, P.A., Shi, H.-Z., Su, Y., Ma, W.-L., Ye, H. 2015. Crosstalk between calpain activation and TGF- $\beta$ 1 augments collagen-I synthesis in pulmonary fibrosis. *BBA-Molecular Basis of Disease* 1852:1796

<http://www.sciencedirect.com/science/article/pii/S092544391500174X>

Yang, J., Wu, Z., Renier, N., Simon, D.J., Uryu, K., Park D.S., Greer, P.A., Tournier, C., Davis, R.J., and Tessier-Lavigne, M. 2015. Pathological axonal death through a MAPK cascade that triggers local energy deficit. *Cell* 160:161-176

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=25594179](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=25594179)

## 2014

Lu, S., Kanekura, K., Hara, T., Mahadevan, J., Spears, L.D., Osowski, C.M., Marinez, R., Yamazaki-Inoue, M., Toyoda, M., Neilson, A., Blanner, P.M., Brown, C., Semenkovich, C.F., Marshall, B.A., Hershey, T., Umezawa, A., Greer, P.A., and Urano, F. 2014. A calcium-dependent protease as a potential therapeutic target for Wolfram syndrome. *PNAS* 111: E5292-301

<http://www.pnas.org/content/early/2014/11/20/1421055111.full.pdf+html>

Williams, J.L., Greer, P.A., and Squire, J.A. 2014. Recurrent copy number alterations in prostate cancer: an *in silico* meta-analysis of publicly available genomic data. *Cancer Genetics* 207:474-488

<http://www.sciencedirect.com/science/article/pii/S2210776214001793>

Sangrar, W. Shi, C., Mullins, G.S., LeBrun, D., Ingalls, B., and Greer, P.A. 2014. Amplified Ras-MAPK signal states correlate with accelerated EGFR internalization, cytoskeleton and delayed HER2 tumor onset in Fer-deficient model systems. *Oncogene* 34:4109-17

<http://www.ncbi.nlm.nih.gov/pubmed/25347743>

Redpath, G.M., Woolger, N., Piper, A.K., Lemckert, F.A., Lek, A., Greer, P.A., North, K.N., Cooper, S.T. 2014. Calpain cleavage within dysferlin exon 40a releases a synaptotagmin-like module for membrane repair. *Mol. Biol. Cell.* 25:3037-3048

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4230592/>

Kumar, V., Everingham, S., Hall, C., Greer, P.A. and Craig, A.W.B. 2014. Calpains promote neutrophil recruitment and bacterial clearance in an acute bacterial peritonitis model. *European Journal of Immunology* 44:831

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=24375267](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=24375267)

## 2013

Elagib, K.E., Rubinstein, J.D., Delehanty, L.L., Ngoh, V., Greer, P.A., Li, S., Lee, J.K., Orkin, S.H., Mihaylov, I.S. and Goldfarb, A.N. 2013 Calpain 2 Activation of P-TEFb Drives Megakaryocyte Morphogenesis and Is Disrupted by Leukemogenic GATA1 Mutation. *Developmental Cell* 27:607

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=24369834](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=24369834)

Nagaraja, T., Williams, J.L., Leduc, C., Squire, J.A., Greer, P.G., and Sangrar, W. 2013 Flavopiridol synergizes with Sorafenib to induce cytotoxicity and potentiate anti-tumorigenic activity in EGFR/HER-2 and mutant RAS/RAF breast cancer model systems. *Neoplasia* 15:939-51

<http://www.ncbi.nlm.nih.gov/pubmed/23908594>

Miyata, Y., Kanda, S., Sakai, H., and Greer, P.A. 2013. Feline sarcoma-related protein expression correlates with malignant aggressiveness and poor prognosis in renal cell carcinoma. *Cancer Science* 104:681

<http://www.ncbi.nlm.nih.gov/pubmed/23445469?dopt=Citation>

Amini, M., Ma, C. Farazifard, R., Zhang, Y.H., Vanderluit, J., Zoltewicz, J.S., Hage, F., Savitt, J.M., Lagace, D., Slack, R.S., Beique, J.C., Greer, P.A., Richard Bergeron, R., Park, D.S. 2013. Conditional disruption of calpain in CNS alters dendrite morphology, impairs LTP, and promotes

neuronal survival following injury. *J. Neuroscience* 33:5773-84  
<http://www.ncbi.nlm.nih.gov/pubmed/23536090>

Khajah, M., Andonegui, G., Chan, R., Craig, A.W., Greer, P.A. and McCafferty, D.M. 2013. Fer Kinase Limits Neutrophil Chemotaxis towards End Target Chemoattractants. *J. Immunol.* 190:2208-16  
<http://www.ncbi.nlm.nih.gov/pubmed/23355730?dopt=Citation>

## 2012

Ma, J., Wie, M., Wang, Q., Li, J., Wang, H., Liu, W., Liu, W., Lacefield, J.C., Greer, P.A., Karmazyn, M., Fan, G., and Peng, T. 2012. Deficiency of *Capn4* inhibits NF- $\kappa$ B signaling/inflammation and reduces remodeling after myocardial infarction. *J. Biol. Chem.* 287:27480  
<http://www.ncbi.nlm.nih.gov/pubmed/22753411?dopt=Citation>

Kwok, E., Everingham, S., Zhang, S., Greer, P.A., Allingham, J.S. and Craig, A.W.B. 2012. FES kinase promotes mast cell recruitment to mammary tumors via the stem cell factor/KIT receptor signaling axis. *Molecular Cancer Research* 10:881-91  
<http://www.ncbi.nlm.nih.gov/pubmed/22589410?dopt=Citation>

Ho., W.C., Pikor, L, Gao, Y., Elliott, B.E., and Greer, P.A. 2012. Calpain 2 regulates the Akt-FoxO-p27<sup>Kip1</sup> signaling pathway in mammary carcinoma. *J. Biol. Chem.* 287:15458-15465  
<http://www.ncbi.nlm.nih.gov/pubmed/22427650?dopt=Citation>

Greer, P.A., Kanda, S., and Smithgall, T.E. 2012. The contrasting oncogenic and tumor suppressor roles of FES. *Frontiers in Bioscience* 4:489-501  
<http://www.ncbi.nlm.nih.gov/pubmed/22202072?dopt=Citation>

## 2011

Ma, W., Han, W., Greer, P.A., Tudor, R., Toque, H.F., Wang, K.K.W. Caldwell, R.W. and Su, Y. 2011. Calpain mediates pulmonary vascular remodeling in rodent models of pulmonary hypertension, and its inhibition attenuated pathologic features of disease. *J. Clinical Invest.* 121:4548-66  
<http://www.ncbi.nlm.nih.gov/pubmed/22005303?dopt=Citation>

Li, Y., Ma, J., Zhu, H., Singh, M., Hill, D., Greer, P.A., Arnold, J. A., Abel, E.D. and Peng, T., 2011. Targeted inhibition of calpain reduces myocardial hypertrophy and fibrosis in mouse models of type-I diabetes. *Diabetes* 60:2985-94  
<http://www.ncbi.nlm.nih.gov/pubmed/21911754?dopt=Citation>

Miyata, Y., Watanabe, S., Matsuo, T., Maruta, S., Hayashi, T., Sakai, H., Xuan, J.W., Greer, P.A. and Kanda, S. 2011. Pathological significance and predictive value for biochemical recurrence of c-Fes expression in prostate cancer. *Prostate* 72:201-8  
<http://www.ncbi.nlm.nih.gov/pubmed/21563194?dopt=Citation>

Zhang, S., Chitu, V., Stanley, R., Elliott, B., and Greer, P.A. 2011. Fes tyrosine kinase expression in the tumor niche correlates with enhanced tumor growth, angiogenesis, circulating tumor cells, metastasis and infiltrating macrophages. *Cancer Research* 71:1465-1473  
<http://www.ncbi.nlm.nih.gov/pubmed/21159660?dopt=Citation>

## 2010

Wernimont, S.A., Simonson, W.T.N., Greer, P.A., Seroogy, C.M. and Huttenlocher, A. 2010. Calpain 4 is not necessary for LFA-1-mediated function in CD4<sup>+</sup> T cells. *PLoS ONE* 5:10513  
<http://www.ncbi.nlm.nih.gov/pubmed/20479866?dopt=Citation>

Kashiwagi, A., Schipani, E., Fein, M., Greer, P.A. and Shimada, M. 2010. Targeted deletion of Capn4 in cells of the chondrocyte lineage impairs chondrocyte proliferation and differentiation. *Molecular and Cellular Biology* 30:2799-2810  
<http://www.ncbi.nlm.nih.gov/pubmed/20368361?dopt=Citation>

## 2009

Mellgren, R.L., Miyake, K., Kramerova, I., Spencer, M.J., Richard, I., Greer, P.A., and McNeil, P.L. 2009. Calcium-dependent plasma membrane repair requires  $\mu$ - or m-calpain, but not calpain-3, proteasome, or caspases. *Biochim. Biophys. Acta* 1793:1886-93.  
<http://www.ncbi.nlm.nih.gov/pubmed/19781581?dopt=Citation>

Truesdell, P.F., Zirngibl, R.A., Francis, S., Sangrar, W. and Greer, P.A. 2009. *fps/fes* knockout mice display a lactation defect and the Fps/Fes tyrosine kinase is a component of E-cadherin-based adherens junctions in breast epithelial cells during lactation. *Experimental Cell Research* 315:2929-2940  
<http://www.ncbi.nlm.nih.gov/pubmed/19732771?dopt=Citation>

Trümpler, A., Schlott, B., Herrlich, P., Barford, D., Greer, P.A., Böhmer, F.-D. 2009. Calpain-mediated degradation of reversibly oxidized protein-tyrosine phosphatase 1B. *FEBS J.* 276:5622-5633  
<http://www.ncbi.nlm.nih.gov/pubmed/19712109?dopt=Citation>

Wang, Y., Kim, N., Greer, P.A., Dawson, V.L. and Dawson, T.M. 2009. Calpain activation is not required for AIF translocation in PARP-1-dependent cell death (Parthanatos). *J. Neurochemistry* 110:687-696  
<http://www.ncbi.nlm.nih.gov/pubmed/19457082?dopt=Citation>

Chandramohanadas, R., Davis, P., Darling, C., Beiting, D., Velmourougane, G., Greer, P.A., Roos, D. and Greenbaum, D.C. 2009. Apicomplexan parasites hijack host calpain to egress from host cells. *Science* 324:794-797  
<http://www.ncbi.nlm.nih.gov/pubmed/19342550?dopt=Citation>

Sangrar, W., Craig, A.W., and Greer, P.A. 2009. Fes and Fer: The F-BAR domain-containing protein-tyrosine kinases. *The Pombe Cdc15 Homology Proteins*. Landes Biosciences. Edited by Pontus Aspenstrom

## 2008

Undyala, V.V., Dembo, M., Cembrola, K., Perrin, B.J., Huttenlocher, A., Elce, J.S., Greer, P.A., Wang, Y. L., and Beningo, K.A. 2008. The calpain small subunit regulates cell-substrate mechanical interactions during fibroblast migration. *J. Cell Science* 121:3581-3588  
<http://www.ncbi.nlm.nih.gov/pubmed/18840650?dopt=Citation>

Shimada, M., Greer, P.A., McMahon, A., Bouxsein, M.L., and Schipani, E. 2008. *In vivo* targeted deletion of *Capn4* in osteoblasts impairs osteoblast function and bone formation. *J. Biol. Chem.* 283:21002-21010  
<http://www.ncbi.nlm.nih.gov/pubmed/18515801?dopt=Citation>

## 2007

Larsen, A.K., Lametsch, R., Elce, J.S., Larsen, J.K., Thomsen, B., Larsen, M.R., Lawson, M.A., Greer, P.A. and Ertbjerg, P., 2007 Genetic disruption of calpain correlates with loss of membrane blebbing and differential expression of RhoGDI-1, cofilin and tropomyosin 1. *Biochemical Journal* 411:657-666  
<http://www.ncbi.nlm.nih.gov/pubmed/18076376?dopt=Citation>

Shapovalova, Z., Tabunshchyk, K., Püschel, A.W., and Greer, P.A. 2007. The Fer protein tyrosine kinase mediates a neurite collapse response to Semaphorin 3A in dorsal root ganglion neurons. *BMC Developmental Biology* 7:133  
<http://www.ncbi.nlm.nih.gov/pubmed/18053124?dopt=Citation>

Sangrar, W., Gao, Y., Scott, M., Truesdell, P., and Greer, P.A. 2007. Fer-mediated cortactin phosphorylation is associated with efficient fibroblast migration and is dependent on reactive oxygen species generation during integrin-mediated cell adhesion. *Molecular and Cellular Biology* 27:6140-6152  
<http://www.ncbi.nlm.nih.gov/pubmed/17606629?dopt=Citation>

Parsons, S., Mewburn, J.D., Truesdell, P. and Greer, P.A. 2007. The Fps/Fes kinase regulates leukocyte recruitment and extravasation during inflammation. *Immunology* 122:542-550  
<http://www.ncbi.nlm.nih.gov/pubmed/17627769?dopt=Citation>

Moubarak, R.S., Yuste, V. J., Artus, C., Sancho, P., Greer, P.A., Mesissier de Murcia, J., and Susin, S.A. 2007. Sequential activation of PARP-1, calpains and Bax is essential in AIF-mediated programmed necrosis. *Molecular and Cellular Biology* 27:4844-62  
<http://www.ncbi.nlm.nih.gov/pubmed/17470554?dopt=Citation>

## 2006

Visram, H., and Greer, P.A., 2006. 17 beta-estradiol and Tamoxifen Stimulate Rapid and Transient ERK Activation in MCF-7 Cells via Distinct Signaling Mechanisms. *Cancer Biology and Therapy* 5: 1677-82  
<http://www.ncbi.nlm.nih.gov/pubmed/17106250?dopt=Citation>

Parsons, S., and Greer, P.A., 2006. The Fps/Fes kinase regulates the inflammatory response to endotoxin through down regulation of TLR4, NF- $\kappa$ B activation, and TNF- $\alpha$  secretion in macrophages. *J. Leukocyte Biology* 80:1522-8  
<http://www.ncbi.nlm.nih.gov/pubmed/16959897?dopt=Citation>

Tan, Y., Dourdin, N., Wu, C., De Veyra, T., Elce, J.S., and Greer, P.A. 2006. Conditional disruption of ubiquitous calpains in the mouse. *Genesis* 44: 297-303  
<http://www.ncbi.nlm.nih.gov/pubmed/16783822?dopt=Citation>

Tan, Y., Wu, C., De Veyra, T., and Greer, P.A., 2006. Ubiquitous calpains promote both apoptosis and survival signals in response to different death stimuli. *J. Bio. Chem.* 281: 17689-98  
<http://www.ncbi.nlm.nih.gov/pubmed/16632474?dopt=Citation>

Tan, Y., Dourdin, N., Wu, C., De Veyra, T., Elce, J.S. and Greer, P.A. 2006. Ubiquitous Calpains Promote Caspase-12 and Jnk Activation During ER Stress-Induced Apoptosis. *J. Biol. Chem.* 281:16016-24  
<http://www.ncbi.nlm.nih.gov/pubmed/16597616?dopt=Citation>

Dutt, P., Croall, D.E., Arthur, J.S.C., De Veyra, T., Williams, K., Elce, J.S., and Greer, P.A. 2006. m-Calpain is required for preimplantation embryonic development in mice. *BMC Dev. Biol.* 6:3  
<http://www.ncbi.nlm.nih.gov/pubmed/16433929?dopt=Citation>

## 2005

El Sayegh, T.Y., Arora, P.D., Laschinger, C.A., Greer, P.A., McCulloch, C.A. and Kapus, A. 2005. Phosphorylation of N-cadherin-associated cortactin by Fer kinase regulates N-cadherin mobility and intercellular adhesion strength. *Molecular Biology of the Cell* 16:5514-5527  
<http://www.ncbi.nlm.nih.gov/pubmed/16176974?dopt=Citation>

Terry, D., Rees-Milton, K., Smith, P., Pezeshki, P., Woods, C., Greer, P.A., and Anastassiades, T., 2005. N-acylation of glucosamine modulates chondrocyte growth, proteoglycan synthesis and gene expression. *J. Rheumatology.* 32:1775-1786.  
<http://www.ncbi.nlm.nih.gov/pubmed/16142878?dopt=Citation>

Sangrar, W., Zirngibl, R.A., Gao, Y., Muller, W.J., Jia, Z., and Greer, P.A. 2005 An identity crisis for *fps/fes*: Oncogene or tumour-suppressor ? *Cancer Research.* 65:3518-3522  
<http://www.ncbi.nlm.nih.gov/pubmed/15867340?dopt=Citation>

Shimada, M., Mahon, M.J., Greer, P.A. and Serge, G.V. 2005. The receptor for parathyroid hormone and parathyroid hormone-related peptide is hydrolyzed and its signaling properties are altered by directly binding the calpain small subunit. *Endocrinology.* 146:2336-44  
<http://www.ncbi.nlm.nih.gov/pubmed/15691895?dopt=Citation>



Demarchi, F., Bertoli, C., Greer, P.A., and Schneider, C. 2005. Ceramide triggers an NF- $\kappa$ B dependent survival pathway through calpain-mediated degradation of p105. *Cell Death and Differentiation* 12:512-522

<http://www.ncbi.nlm.nih.gov/pubmed/15933726?dopt=Citation>

Qi, W., Ebbert, K.V.J., Craig, A.W.B., Greer, P.A., McCafferty, D.-M. 2005. Absence of Fer protein-tyrosine kinase exacerbates endotoxin-induced intestinal epithelial barrier dysfunction in vivo. *GUT* 54:1091-1097

<http://www.ncbi.nlm.nih.gov/pubmed/16009680?dopt=Citation>

## 2004

Sangrar, W., Gao, Y., Bates, B., Zirngibl, R.A., and P.A. Greer. 2004. Activated Fps/Fes tyrosine kinase regulates erythroid differentiation and survival. *Experimental Hematology* 32:935-45

<http://www.ncbi.nlm.nih.gov/pubmed/15504549?dopt=Citation>

Sangrar, W., Senis, Y., Samis, J., Gao, Y., Richardson, M., Lee, D.H., and Greer, P.A. 2004 Hemostatic and hematological abnormalities in gain-of-function *fps/fes* transgenic mice are associated with the angiogenic phenotype. *Journal of Thrombosis and Haemostasis* 2:2009-2019

<http://www.ncbi.nlm.nih.gov/pubmed/15550033?dopt=Citation>

Huynh, H., Bottini, N. Williams, S., Cherepanov, V., Musumeci, L., Saito, K., Bruckner, S., Vachon, E., Wang, X., Kruger, J., Chow, C.-W., Pellicchia, M., Monosov, E., Greer, P.A., Trimble, W., Downey, G.P., and Mustelin, T. 2004. Control of vesicle fusion by a tyrosine phosphatase. *Nature Cell Biology* 6:831-839

<http://www.ncbi.nlm.nih.gov/pubmed/15322554?dopt=Citation>

Xu, G., Craig, A., Greer, P., Miller, M., Anastasiades, P., Lilien, J., and Balsamo, J. 2004 Continuous association of cadherin with  $\beta$ -catenin requires the non-receptor tyrosine kinase Fer. *Journal of Cell Science* 117:3207-3219

<http://www.ncbi.nlm.nih.gov/pubmed/15226396?dopt=Citation>

Fan, L., Di Ciano-Oliveira, C., Weed, S.A., Craig, A.W.B., Greer, P.A., Rotstein, O.D., and Kapus, A., 2004. Actin depolymerization-induced tyrosine phosphorylation of cortactin: The role of Fer kinase. *Biochemical Journal* 380:581-91

<http://www.ncbi.nlm.nih.gov/pubmed/15030313?dopt=Citation>

Sangrar, W., Mewburn, J., Vincent, S.G., Fisher, J.T., and Greer, P.A. 2004. Vascular defects in gain-of-function *fps/fes* transgenic mice correlate with PDGF- and VEGF-induced activation of mutant Fps/Fes kinase in endothelial cells. *Journal of Thrombosis and Haemostasis* 2:820-32

<http://www.ncbi.nlm.nih.gov/pubmed/15099290?dopt=Citation>

Vultur, A., Cao, J., Arulanandam, R., Turkson, J., Jove, R., Greer, P., Craig, A., Elliott, B., Raptis, L. 2004. Cell to cell adhesion modulates Stat3 activity in normal and breast carcinoma cells. *Oncogene* 23:2600-2616

<http://www.ncbi.nlm.nih.gov/pubmed/15007380?dopt=Citation>

Haigh, J. J., Ema, M., Haigh, K., Gertsenstein, M., Greer, P.A., Rossant, J., Nagy, A., and Wagner, E.F. 2004. Activated Fps/Fes partially rescues the in vivo developmental potential of Flk1 deficient vascular progenitor cells. *Blood* 103 (3): 912-920

<http://www.ncbi.nlm.nih.gov/pubmed/14525765?dopt=Citation>

### 2003

Sangrar, W., Gao, Y., Zirngibl, R.A., Scott, M.L., and P.A. Greer. 2003. The *fps/fes* proto-oncogene regulates hematopoietic lineage output. *Experimental Hematology* 31:1259-1267

<http://www.ncbi.nlm.nih.gov/pubmed/14662333?dopt=Citation>

Sedarous, M., Keramaris, E., O'Hare, M., Melloni, E., Slack, R.S., Elce, J., Greer, P., and Park, D.S. 2003. Calpains mediate p53 activation and neuronal death evoked by DNA damage. *J. Biol. Chem.* 278: 26031-38

<http://www.ncbi.nlm.nih.gov/pubmed/12721303?dopt=Citation>

Senis, Y.A., Craig, A.W.B., and Greer, P.A. 2003. Fps/Fes and Fer protein-tyrosine kinases play redundant roles in regulating hematopoiesis. *Experimental Hematology* 31: 673-681

<http://www.ncbi.nlm.nih.gov/pubmed/12901971?dopt=Citation>

Senis, Y.A., Sangrar, W., Zirngibl, R., Craig, A.W.B., Lee, D.H. and Greer, P.A. 2003. Fps/Fes and Fer non-receptor protein-tyrosine kinases regulate collagen- and ADP- induced platelet aggregation. *J. Thrombosis and Haemostasis* 1:1062-1070

<http://www.ncbi.nlm.nih.gov/pubmed/12871378?dopt=Citation>

### 2002

Postovit, L.-M., Dutt, P., Dourdin, N., Park, M., Greer, P.A., Graham, C.H. and Elce, J.S. 2002. Calpain is required for MMP-2 and u-PA expression in SV40 large T-antigen-immortalized cells. *Biochem. Biophys. Res. Comm.* 297:294-301

<http://www.ncbi.nlm.nih.gov/pubmed/12237117?dopt=Citation>

Craig, A.W.B. and Greer, P.A. 2002. Fer kinase is required for sustained p38 kinase activation and maximal chemotaxis of activated mast cells. *Mol. Cell. Biol.* 22:(18) 6363-6374

<http://www.ncbi.nlm.nih.gov/pubmed/12192036?dopt=Citation>

Greer, P.A. Closing in on the biological roles of Fps/Fes and Fer protein-tyrosine kinases. 2002. *Nature Reviews Molecular Cell Biology* 3:278-289

<http://www.ncbi.nlm.nih.gov/pubmed/11994747?dopt=Citation>

McCafferty, D.M., Craig, A.W.B., and Greer, P.A. 2002. Absence of Fer protein-tyrosine kinase exacerbates leukocyte recruitment in response to endotoxin. *J. Immunol.* 168:4930-4935

<http://www.ncbi.nlm.nih.gov/pubmed/11994443?dopt=Citation>

Zirngibl, R., Senis, Y., and Greer, P.A. 2002. Enhanced endotoxin-sensitivity in Fps/Fes-null mice with minimal defects in hematopoietic homeostasis. *Mol. Cell. Biol.* 22:2472-2486  
<http://www.ncbi.nlm.nih.gov/pubmed/11909942?dopt=Citation>

Carragher, N.O., Westhoff, M.A., Riley, D., Potter, D.A., Dutt, P., Elce, J.S., Greer, P.A., and Frame. M.C. 2002. v-Src induced modulation of the calpain-calpastatin proteolytic system regulates both morphological transformation and cell cycle progression. *Mol. Cell. Biol.* 22: 257-269  
<http://www.ncbi.nlm.nih.gov/pubmed/11739739?dopt=Citation>

## 2001

Dourdin, N., Bhatt, A. K., Greer, P. A., Arthur, J. S. C., Elce, J. S., and Huttenlocher, A. 2001. Reduced cell migration and disruption of the actin cytoskeleton in calpain-deficient embryonic fibroblasts. *J. Biol. Chem.* 276: 48382-48388  
<http://www.ncbi.nlm.nih.gov/pubmed/11602605?dopt=Citation>

Keller, P., Payne, J. L., Tremml, G., Greer, P. A., Gaboli, M., Pandolfi, P. P., and Bessler, M. 2001. FES-Cre targets PIGA inactivation to hematopoietic stem cells in the bone marrow. *J. Exp. Med.* 194: (5) 581-589  
<http://www.ncbi.nlm.nih.gov/pubmed/11535627?dopt=Citation>

Zirngibl, R., Schulze, D., Mirski, S.E.L, Cole, S.P.C, and Greer, P.A. 2001 Subcellular localization analysis of the closely related Fps/Fes and Fer protein-tyrosine kinases suggests a distinct role for Fps/Fes in vesicular trafficking. *Experimental Cell Research* 266:87-94  
<http://www.ncbi.nlm.nih.gov/pubmed/11339827?dopt=Citation>

Bovenkamp, D.E. and Greer, P.A. 2001 Degenerate PCR-based cloning method for Eph receptors and analysis of their expression in the developing murine CNS and vasculature. *DNA and Cell Biology* 20:203-213  
<http://www.ncbi.nlm.nih.gov/pubmed/11403717?dopt=Citation>

Craig, A.W.B., Zirngibl, R., Williams, K., Cole, L.A. and Greer, P.A. 2001. Mice devoid of Fer protein-tyrosine kinase activity are viable and fertile, but display reduced cortactin phosphorylation. *Molecular and Cellular Biology* 21:603-613  
<http://www.ncbi.nlm.nih.gov/pubmed/11134346?dopt=Citation>

Zirngibl, R. and Greer, P. 2001. Analysis of protein kinase subcellular localization by visualization of GFP fusion proteins. *Methods in Molecular Biology* 124:195-208  
<http://www.ncbi.nlm.nih.gov/pubmed/11100477?dopt=Citation>

## 2000

Arthur, J.S.C., Elce, J.S., Hegadorn, C., Williams, K. and Greer, P.A. 2000. Disruption of murine calpain small subunit gene, *Capn4*: Calpain is essential for embryonic development but not for cell growth and division. *Molecular and Cellular Biology* 20:4474-4481  
<http://www.ncbi.nlm.nih.gov/pubmed/10825211?dopt=Citation>

**1999**

Senis, Y., Zirngibl, R., McVeigh, J., Haman, A., Hoang, T., and Greer, P.A. 1999. Targeted disruption of the murine *fps/fes* proto-oncogene reveals that Fps/Fes kinase activity is dispensable for hematopoiesis. *Molecular and Cellular Biology* 19:7436-7446  
<http://www.ncbi.nlm.nih.gov/pubmed/10523632?dopt=Citation>

Craig, A., Zirngibl, R. and Greer, P. 1999. Disruption of coiled-coil domains in Fer protein kinase abolishes trimerization but not kinase activation. *J. Biological Chemistry* 274(28):19934-19942  
<http://www.ncbi.nlm.nih.gov/pubmed/10391941?dopt=Citation>

Cole, L.A., Zirngibl, R., Craig, A., Jia, Z. and Greer, P. 1999. Mutation of a highly conserved aspartate residue in subdomain IX abolishes Fer protein-tyrosine kinase activity. *Protein Eng.* 12(2):155-162  
<http://www.ncbi.nlm.nih.gov/pubmed/10195287?dopt=Citation>

**1993-1998**

Arthur, J.S.C., Greer, P. and Elce, J. S. 1998. Structure of the mouse calpain small subunit gene. *Biochim. Biophys. Acta* 1388:247-252  
<http://www.ncbi.nlm.nih.gov/pubmed/9774740?dopt=Citation>

Mirski, S.E.L., Gerlach, J.H., Cummings, H.J., Zirngibl, R., Greer, P. and Cole, S.P.C. 1997. Bipartite nuclear localization signals in the C terminus of human topoisomerase II $\alpha$ . *Exp. Cell Res.* 237:452-455  
<http://www.ncbi.nlm.nih.gov/pubmed/9434641?dopt=Citation>

Bovenkamp, D.E. and Greer, P. 1997. A novel Eph-family receptor tyrosine kinase is widely expressed in the developing zebrafish nervous system. *Dev. Dynam.* 209:166-181  
<http://www.ncbi.nlm.nih.gov/pubmed/9186052?dopt=Citation>

Haigh, J., McVeigh, J. and Greer, P. 1996. The Fps/Fes tyrosine kinase is expressed in myeloid, vascular endothelial, epithelial and neuronal cells, and is localized in the trans golgi network. *Cell Growth and Diff.* 7:931-944  
<http://www.ncbi.nlm.nih.gov/pubmed/8809411?dopt=Citation>

Izuhara, K., Feldman, R.A., Greer, P. and Harada, N. 1996. Interleukin-4 induces association of the c-fes proto-oncogene product with phosphatidylinositol-3 kinase. *Blood* 88:3910-3918  
<http://www.ncbi.nlm.nih.gov/pubmed/8916957?dopt=Citation>

Wang, S.-J., Greer, P. and Auerbach, R. 1996. Isolation and propagation of yolk sac-derived endothelial cells from a hypervascular transgenic mouse expressing a gain-of-function *fps/fes* proto-oncogene. *In Vitro Cell. & Dev. Biol.* 32:292-299  
<http://www.ncbi.nlm.nih.gov/pubmed/8792159?dopt=Citation>

Linnekin, D., Mou, S.M., Greer, P., Longo, D.L. and Ferris, D.K. 1995. Phosphorylation of a Fes-related protein in response to granulocyte-macrophage colony stimulating factor. *J. Biol. Chem.* 270: 4950-4954

<http://www.ncbi.nlm.nih.gov/pubmed/7876270?dopt=Citation>

Yang, J. Z., Greer, P., Van Vugt, D.A. and Reid, R.L. 1995. Treatment with 5-aminolevulinic acid and photoactivating light causes destruction of early stage mouse embryos. *Fert. Steril.* 63:1088-1093

<http://www.ncbi.nlm.nih.gov/pubmed/7720923?dopt=Citation>

Greer, P., Haigh, J., Mbamalu, G., Khoo, W., Bernstein, A. and Pawson, T. 1994. The Fps/Fes protein-tyrosine kinase promotes angiogenesis in transgenic mice. *Mol. Cell. Biol.* 14:6755-6763

<http://www.ncbi.nlm.nih.gov/pubmed/7523858?dopt=Citation>

Izuhara, K., Feldman, R.A., Greer, P. and Harada, N. 1994. Interaction of the c-fes proto-oncogene product with the interleukine-4 receptor. *J. Biol. Chem.* 269: 18623-18629

<http://www.ncbi.nlm.nih.gov/pubmed/7518439?dopt=Citation>

Chen, L., Zhang, L-J., Greer, P. and Moran, M.F. 1993. A murine CDC25/Ras-GRF-related protein implicated in ras regulation. *Dev. Genet.* 14: 339-346

<http://www.ncbi.nlm.nih.gov/pubmed/8293576?dopt=Citation>

Zhang, L., Lemarchandel, V., Romeo, P-H., Ben-David, Y., Greer, P. and Bernstein, A. 1993. The *Fli-1* proto-oncogene, involved in erythroleukemia and Ewing's sarcoma, encodes a transcriptional activator with DNA-binding specificities distinct from other Ets family members. *Oncogene* 8:1621-30

<http://www.ncbi.nlm.nih.gov/pubmed/8502483?dopt=Citation>

### 1988-1991

Lhotak, V., Greer, P., Letwin, K. and Pawson, T. 1991. Characterization of ELK, a brain-specific receptor tyrosine kinase. *Mol. Cell. Biol.* 11:2496-2502

<http://www.ncbi.nlm.nih.gov/pubmed/2017163?dopt=Citation>

Greer, P., Maltby, V., Rossant, J., Bernstein, A. and Pawson, T. 1990. Myeloid expression of the human *c-fps/fes* proto-oncogene in transgenic mice. *Mol. Cell. Biol.* 10:2521-2527

<http://www.ncbi.nlm.nih.gov/pubmed/2188092?dopt=Citation>

Yee, S-P., Mock, D., Greer, P., Maltby, V., Rossant, J., Bernstein, A. and Pawson, T. 1989. Lymphoid and mesenchymal tumors in transgenic mice expressing the *v-fps* protein-tyrosine kinase. *Mol. Cell. Biol.* 9:5491-5499

<http://www.ncbi.nlm.nih.gov/pubmed/2555699?dopt=Citation>

Greer, P., Meckling-Hansen, K. and Pawson, T. 1988. The human *c-fps/fes* gene product expressed ectopically in rat fibroblasts is non-transforming and has restrained protein-tyrosine kinase activity. *Mol. Cell. Biol.* 8:578-587

<http://www.ncbi.nlm.nih.gov/pubmed/3352601?dopt=Citation>

Pawson, T., Greer, P., Moran, M., Meckling-Hansen, K., Brooks-Wilson, A. and Sadowski, I. 1987. Structure-function relationships in cellular and viral *fps/fes* cytoplasmic protein-tyrosine kinases. In: J. E. Kudlow, D. H. MacLennan, A. Bernstein, and A. I. Gotlieb, Eds., *Biology of Growth Factors: Molecular Biology, Oncogenes, Signal Transduction and Clinical Implications*. Adv. Exp. Med. Biol. Plenum Press, New York and London. Volume 234.  
<http://www.ncbi.nlm.nih.gov/pubmed/3063089?dopt=Citation>

**1986-1987**

Hasel, K., Day, S., Millward, S., Richardson, C., Bellini, W. and Greer, P. 1987. Characterization of cloned measles virus mRNAs by *in vitro* transcription, translation and immunoprecipitation. *Intervirology* 28:26-39  
<http://www.ncbi.nlm.nih.gov/pubmed/3429193?dopt=Citation>

Greer, P., Hasel, K. and Millward, S. 1986. Cloning and *in vitro* expression of the measles virus Matrix Gene. *Biochem. Cell Biol.* 64:1038-1043  
<http://www.ncbi.nlm.nih.gov/pubmed/3026420?dopt=Citation>

Richardson, C.D., Hull, D., Greer, P., Hasel, K., Berkovich, A., Englund, G., Bellini, W., Rima, B. and Lazzarini, R.A. 1986. The nucleotide sequence of the mRNA encoding the fusion protein of measles virus (Edmonston Strain): A comparison of fusion proteins from several different paramyxoviruses. *Virology* 155:508-523  
<http://www.ncbi.nlm.nih.gov/pubmed/3788062?dopt=Citation>